




試験結果一覧表

地点	土粒子の密度 (g/cm <sup>3</sup> )									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	2.592	2.619	2.590	2.557	2.579	2.584	2.624	2.571	2.501	2.514
5	2.542	2.622	2.617	2.585	2.565	2.590	2.584	2.617	2.558	2.499
11	2.609	2.614	2.645	2.643	2.584	2.593	2.554	2.532	2.524	2.502
15	2.334	2.321	2.343	2.352	2.372	2.406	2.402	2.371	2.495	2.521
17	2.754	2.731	2.749	2.749	2.659	2.550	2.461	2.494	2.664	2.693
20	2.422	2.461	2.387	2.433	2.414	2.428	2.429	2.444	2.454	2.406
23	2.504	2.505	2.500	2.473	2.519	2.545	2.541	2.619	2.545	2.602
27	2.499	2.490	2.455	2.464	2.480	2.499	2.515	2.526	2.746	2.603
43	2.722	2.751	2.746	2.658	2.679	2.675	2.679	2.656	2.722	2.529
47	2.472	2.494	2.458	2.485	2.497	2.514	2.508	2.510	2.586	2.603
平均	2.545	2.561	2.549	2.540	2.535	2.538	2.530	2.534	2.580	2.547
最大	2.754	2.751	2.749	2.749	2.679	2.675	2.679	2.656	2.746	2.693
最小	2.334	2.321	2.343	2.352	2.372	2.406	2.402	2.371	2.454	2.406



凡例  
 2.5g/cm<sup>3</sup> 以下  
 2.5~2.7g/cm<sup>3</sup>  
 2.7g/cm<sup>3</sup> 超

図 2-9(1) 試験結果分布図 詳細調査 (土粒子の密度)



凡例	
200% 以下	Blue circle
200~400%	Yellow circle
400% 超	Pink circle

試験結果一覧表

地点	含水比(%)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	236.5	195.7	203.9	209.9	184.4	173.3	130.4	142.5	136.6	232.7
5	242.7	149.8	121.4	126.5	130.3	128.1	127.8	145.7	205.0	215.2
11	195.2	163.8	141.5	159.1	195.8	197.8	238.9	229.7	262.5	245.4
15	513.7	543.1	508.4	427.4	423.0	400.5	382.6	339.7	214.9	119.5
17	34.5	36.4	32.8	32.8	106.8	177.7	225.4	178.2	77.7	58.4
20	401.7	395.9	411.1	423.7	414.0	411.6	400.5	358.2	352.2	310.9
23	283.1	266.1	217.9	203.9	175.5	161.0	143.8	156.4	215.4	140.7
27	332.1	284.2	288.9	264.5	266.9	250.0	257.4	250.5	88.3	168.2
43	34.1	35.4	37.4	67.9	55.6	47.3	62.7	83.8	33.8	145.5
47	392.0	334.9	284.2	269.6	252.1	245.2	245.3	244.6	191.7	169.9
平均	266.6	240.5	224.8	218.5	220.4	219.3	221.5	212.9	177.8	180.6
最大	513.7	543.1	508.4	427.4	423.0	411.6	400.5	358.2	352.2	310.9
最小	34.1	35.4	32.8	32.8	55.6	47.3	62.7	83.8	33.8	58.4





図 2 -9(2) 試験結果分布図 詳細調査 (含水比)



試験結果一覧表

地点	強熱減量(wt%)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	9.97	8.77	8.92	10.2	9.48	9.04	7.39	9.87	13.3	14.0
5	9.67	7.78	7.83	9.56	9.70	9.06	9.66	9.11	9.31	10.7
11	8.43	7.55	6.82	7.75	9.81	10.8	12.1	12.1	14.4	13.5
15	24.1	22.6	21.3	21.0	19.4	17.5	18.5	18.2	13.1	10.6
17	1.99	2.45	2.21	1.91	6.61	10.5	14.4	13.6	5.49	4.36
20	16.7	17.4	17.3	16.6	16.9	16.7	16.4	16.3	16.2	16.3
23	14.7	16.4	15.2	15.4	14.1	13.3	12.0	11.5	15.1	11.2
27	18.0	17.4	16.9	16.8	16.9	15.8	19.3	14.2	6.79	12.0
43	2.81	2.53	2.99	5.36	5.34	4.70	8.80	8.47	4.80	13.1
47	15.6	15.9	16.2	15.9	15.7	15.0	14.0	14.4	13.4	9.61
平均	12.2	11.9	11.6	12.0	12.4	12.2	13.3	12.8	11.2	11.5
最大	24.1	22.6	21.3	21.0	19.4	17.5	19.3	18.2	16.2	16.3
最小	1.99	2.45	2.21	1.91	5.34	4.70	7.39	8.47	4.80	4.36






図 2 -9 (3) 試験結果分布図 詳細調査 (強熱減量)



試験結果一覧表

地点	COD (mg/g)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	49.4	47.6	42.6	55.3	48.2	44.6	35.4	58.2	73.3	77.5
5	57.4	38.7	35.9	44.7	45.9	40.7	43.4	43.4	53.2	63.6
11	46.6	39.2	31.4	33.7	39.2	46.3	57.5	52.3	59.6	55.2
15	197	181	157	150	151	132	139	132	74.8	56.8
17	2.37	2.70	2.24	1.82	21.6	55.5	110	77.5	32.2	22.3
20	81.4	88.7	87.7	84.3	87.1	92.3	76.7	97.1	78.2	73.7
23	84.8	102	93.4	111	91.7	66.7	56.9	62.7	144	137
27	86.0	89.9	70.2	69.3	67.9	62.3	71.3	76.2	30.9	52.0
43	16.7	5.00	10.3	29.3	17.5	12.9	34.6	35.6	5.54	48.6
47	84.2	95.9	71.4	66.3	65.3	67.2	60.2	73.2	79.4	46.6
平均	70.6	69.1	60.2	64.6	63.5	62.1	68.5	70.8	63.1	63.3
最大	197	181	157	150	151	132	139	132	144	137
最小	2.37	2.70	2.24	1.82	17.5	12.9	34.6	35.6	5.54	22.3







図 2 -9(4) 試験結果分布図 詳細調査 (化学的酸素要求量 ; COD sed)




試験結果一覧表

地点	硫化物 (mg/g)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	0.10	0.11	0.07	0.10	0.07	0.06	0.06	0.08	0.04	0.07
5	0.12	0.10	0.08	0.06	0.06	0.02	0.07	0.06	0.07	0.06
11	0.24	0.17	0.19	0.25	0.21	0.25	0.19	0.19	0.22	0.22
15	0.09	0.24	0.11	0.12	0.17	0.18	0.28	0.09	0.01	0.03
17	0.04	0.06	0.05	0.05	0.33	0.26	0.17	0.12	0.15	0.19
20	0.18	0.19	0.17	0.23	0.25	0.20	0.17	0.18	0.13	0.15
23	0.11	0.08	0.06	0.05	0.04	0.05	0.05	0.05	0.04	0.11
27	0.14	0.11	0.09	0.13	0.12	0.15	0.26	0.23	0.09	0.26
43	0.12	0.09	0.18	0.13	0.14	0.08	0.09	0.08	0.08	0.34
47	0.15	0.65	0.16	0.15	0.13	0.13	0.13	0.12	0.17	0.13
平均	0.13	0.18	0.12	0.13	0.15	0.14	0.15	0.12	0.10	0.16
最大	0.24	0.65	0.19	0.25	0.33	0.26	0.28	0.23	0.22	0.34
最小	0.04	0.06	0.05	0.05	0.04	0.02	0.05	0.05	0.04	0.03



凡例  
 0.15mg/g 以下  
 0.15~0.3mg/g  
 0.3mg/g 超

図 2 -9(5) 試験結果分布図 詳細調査 (硫化物)



試験結果一覧表

地点	全リン (mg/g)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	0.708	0.625	0.599	0.566	0.492	0.485	0.372	0.301	0.360	0.320
5	0.539	0.408	0.313	0.311	0.314	0.277	0.290	0.249	0.205	0.260
11	0.521	0.508	0.453	0.437	0.557	0.614	0.593	0.550	0.629	0.578
15	0.763	0.886	0.905	0.696	0.632	0.542	0.528	0.443	0.328	0.270
17	0.220	0.226	0.247	0.205	0.417	0.369	0.385	0.231	0.207	0.227
20	0.991	0.993	1.04	0.927	1.03	0.915	0.922	0.942	0.967	0.888
23	0.653	0.543	0.442	0.381	0.318	0.315	0.284	0.346	0.667	0.851
27	1.61	1.45	1.35	1.37	1.37	1.26	1.11	0.719	0.284	0.436
43	0.460	0.446	0.526	0.806	0.763	0.697	1.30	1.40	0.500	2.10
47	2.04	2.64	2.74	2.69	3.05	3.03	2.35	2.17	1.20	0.496
平均	0.851	0.873	0.862	0.839	0.894	0.850	0.813	0.735	0.535	0.643
最大	2.04	2.64	2.74	2.69	3.05	3.03	2.35	2.17	1.20	2.10
最小	0.220	0.226	0.247	0.205	0.314	0.277	0.284	0.231	0.205	0.227






図 2 -9(6) 試験結果分布図 詳細調査 (全リン)





試験結果一覧表

地点	全室素 (mg/g)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	3.65	2.95	2.97	3.80	3.78	3.51	2.37	3.24	4.31	4.49
5	3.81	2.65	2.20	2.73	2.75	2.40	2.63	2.46	3.14	3.73
11	2.82	2.54	2.11	2.41	3.07	3.49	4.05	3.80	5.41	4.64
15	8.43	7.96	7.76	8.08	9.09	6.84	7.21	7.19	4.97	3.42
17	0.162	0.406	0.241	0.171	1.18	2.96	5.63	3.46	1.24	0.733
20	6.45	7.03	7.01	6.33	7.26	6.01	6.76	6.86	6.90	6.38
23	6.14	5.56	4.94	4.99	4.11	3.60	2.87	3.28	4.71	3.46
27	5.25	5.11	5.40	5.17	5.32	5.15	4.76	4.64	1.55	3.26
43	0.554	0.478	0.777	1.57	1.43	1.02	2.70	2.36	0.749	4.76
47	5.62	5.94	4.89	4.64	5.18	4.41	4.26	4.52	3.84	2.36
平均	4.29	4.06	3.83	3.99	4.32	3.94	4.32	4.18	3.68	3.72
最大	8.43	7.96	7.76	8.08	9.09	6.84	7.21	7.19	6.90	6.38
最小	0.162	0.406	0.241	0.171	1.18	1.02	2.37	2.36	0.749	0.733




凡例	
Blue	3mg/g 以下
Yellow	3~6mg/g
Pink	6mg/g 超

図 2 -9(7) 試験結果分布図 詳細調査 (全室素)



試験結果一覧表



地点	全有機炭素(mg/g)									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	27.3	27.4	26.8	32.1	28.1	21.6	28.6	31.7	43.8	44.0
5	23.2	17.3	19.6	29.4	27.3	25.5	25.0	28.0	25.2	29.5
11	18.5	11.5	21.1	15.2	16.3	18.6	23.5	32.8	34.4	32.4
15	79.8	75.2	61.2	58.6	48.3	51.7	48.7	52.8	28.5	21.0
17	2.28	1.83	3.26	1.58	14.8	31.3	52.6	51.3	13.4	12.2
20	47.5	46.9	51.5	46.5	49.4	45.7	43.6	50.6	49.0	40.4
23	41.0	46.6	45.3	53.5	22.2	41.6	37.5	36.3	51.0	37.1
27	55.6	51.5	48.6	49.0	48.6	44.5	45.3	54.9	21.9	39.3
43	5.71	4.47	5.65	15.7	12.8	7.56	18.3	20.4	5.92	37.3
47	46.0	44.3	46.3	46.8	43.4	44.8	39.2	37.3	40.4	25.6
平均	34.7	32.7	32.9	34.8	31.1	33.6	36.2	39.6	31.4	32.2
最大	79.8	75.2	61.2	58.6	49.4	54.7	52.6	54.9	51.0	44.0
最小	2.28	1.83	3.26	1.58	12.8	7.56	18.3	20.4	5.92	12.2



凡例	
Blue	25mg/g 以下
Yellow	25~50mg/g
Pink	50mg/g 超


図 2 -9(8) 試験結果分布図 詳細調査 (全有機炭素)





試験結果一覧表

地点	pH									
	0~5cm	5~10cm	10~15cm	15~20cm	20~25cm	25~30cm	30~35cm	40~45cm	60~65cm	80~85cm
3	5.4	5.8	6.0	5.8	5.8	5.8	5.8	6.0	6.0	6.0
5	5.8	5.8	5.8	5.6	6.0	6.0	6.0	6.0	5.8	5.8
11	5.6	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.8
15	5.1	5.1	5.1	5.6	5.6	5.6	5.6	5.6	5.8	6.0
17	5.4	5.4	5.6	5.4	5.6	5.6	6.2	6.0	6.0	6.0
20	6.0	6.0	6.0	5.6	5.8	6.0	6.0	5.8	5.8	5.8
23	5.8	6.0	5.8	5.8	5.8	6.0	6.0	6.0	5.8	6.0
27	5.8	6.0	5.6	5.4	5.4	5.4	5.4	5.6	5.4	5.4
43	5.8	5.8	5.8	5.8	5.8	5.8	5.6	5.4	5.4	5.8
47	5.2	5.6	5.8	5.8	6.0	6.0	6.2	6.2	6.0	6.4
平均	5.6	5.7	5.7	5.6	5.7	5.8	5.8	5.8	5.7	5.9
最大	6.0	6.0	6.0	5.8	6.0	6.0	6.2	6.2	6.0	6.4
最小	5.2	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4



凡例	
■	5.7 以下
■	5.8~8.6
■	8.6 以上

図 2 -9(9) 試験結果分布図 (水素イオン濃度 ; pH (間隙水))